

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	71	714/50.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 09:25
S2	1836	714/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 08:49
S3	1159	S2 and (order\$3 sequen\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 10:00
S4	3	S3 and dependency near model	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 20:06
S5	49	S3 and diagnos\$4 near procedure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 20:06
S6	484	714/46.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 17:36
S7	2	conditional adj diagnostics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 17:29
S8	721	conditional adj test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 17:30
S9	11	S8 same probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 17:30

EAST Search History

S10	54	S8 same priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 17:30
S11	2	"5440723".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 17:50
S12	2	"5745675".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 18:40
S13	2	"5754755".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 17:52
S14	2	"5995916".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 17:53
S15	2	"6002868".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 17:53
S16	2	"6078189".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 17:52
S17	2	"6233701".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 17:50
S18	579	706/46.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 08:49
S19	519	706/47.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:39

EAST Search History

S20	987	S18 S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 08:49
S21	662	S20 and (test\$3 diagnos\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 08:50
S22	30410	badi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:22
S23	14	badi with sap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:22
S24	7	("3781683" "4728883" "4875002" "4994732" "5004978" "5023557" "5654632").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/31 16:05
S25	6	("6078189").URPN.	USPAT	OR	ON	2006/10/31 16:05
S26	7	("20050066298" "20050210311" "20050217349" "5922079" "6078189" "6167352" "6959252").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/01 09:37
S27	156	dependency adj model	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/01 09:37
S28	467	dependency adj (matrix table model)	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/01 12:52
S29	4397	correlation adj (matrix table model)	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/01 12:54
S30	467	dependency adj (matrix table model)	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/01 12:53
S31	109	S30 with (order\$3 sequen\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/01 12:54
S32	557	correlation adj (matrix table model) with (order\$3 sequen\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/01 12:54

EAST Search History

S33	666	S31 S32	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/01 12:54
S34	21	S33 and "714".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/01 12:57
S35	9	(S31 S32) with probability	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/01 12:58
S36	8	S35 not S34	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/01 12:58
S37	24231	test near order\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 14:00
S38	55	S37 with probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 14:00
S39	1075	(sequen\$4 order\$3) near2 (test\$3 procedure diagnos\$4) with (probability correlati\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 07:47
S40	39	S39 with threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 07:54
S41	163	S39 with (fault fail\$3 error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:12
S42	1	S39 with reorder\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 07:54
S43	470	dependency adj (matrix table model)	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/02 08:12
S44	4411	correlation adj (matrix table model)	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/02 08:12

EAST Search History

S45	4832	S43 S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:12
S46	6	(S43 S44) with reorder\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:15
S47	44	(S43 S44) with priorit\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:23
S48	386	(correlat\$3 dependen\$3) adj between adj (test\$3 diagnos\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:32
S49	19	S48 and "714".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 08:32
S50	187	execut\$3 with (test\$3 diagnos\$4) with probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 12:56
S51	2	S50 with (child parent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 12:54
S52	0	S50 same hierarch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 12:53
S53	39	execut\$3 with (test\$3 diagnos\$4) with (fault fail\$3) with probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 12:54
S54	187	S50 S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 12:56

EAST Search History

S55	40	S54 same (reorder order\$3 sequen\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 13:00
S56	503	threshold with probability with (test\$3 diagnos\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 12:57
S57	97	S56 same (reorder order\$3 sequen\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 13:00
S58	2	"20020178402"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 14:04
S59	2	"6907550".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 14:04
S60	0	("6907550").URPN.	USPAT	OR	ON	2006/11/02 14:04
S61	6	("20020178402" "20030167111" "5067129" "5414836" "6378088" "6557120").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/02 14:05
S62	161	probability with (before after) with (fail\$3 error fault) with (check test\$3 diagnos\$4 procedure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:27
S63	112	(updat\$3 with (order\$3 sequen\$4) with (test\$3 diagnos\$4)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:32
S64	2979	((correlat\$3 probability dependen\$2) near (matrix table model)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:33
S65	265	((correlat\$3 probability dependen\$2) near (matrix table model) with (order\$3 sequen\$4)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:34

EAST Search History

S66	12	((correlat\$3 probability dependen\$2) near (matrix table model) with (order\$3 sequen\$4) with (test\$4 diagnos\$4)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:34
S67	11	updat\$3 adj caus\$3 adj (fail\$3 fault error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/05 13:32
S68	4	(fail\$3 fault error) adj updat\$3 adj caus\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/05 13:32
S69	19	(fail\$3 fault error) adj caus\$3 adj updat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:03
S70	33	S67 S68 S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/05 15:38
S71	22	("4,654,852" "5,748,880" "5,877,961" "5,917,898" "5,944,839" "6,477,531" "6,539,499" "6,560,721" "6,678,639" "6,888,542" "6,990,602").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/05 15:42
S72	3	"20020083156"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/05 15:39
S73	2	"20020122050"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/05 15:42
S74	2	"5440723".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 09:38
S75	2	"5745675".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 09:38

EAST Search History

S76	1214	updat\$3 near priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 17:15
S77	29	S76 with (fault fail\$3 error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 17:15
S78	129	updat\$3 near2 caus\$3 near2 (fault fail\$3 error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 08:32
S80	9	S78 same order\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 08:29
S81	1128	(reorder\$3 sequen\$4 order\$3) near2 caus\$3 near2 (fault fail\$3 error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 08:51
S82	23	(bayesian causal) with test\$3 with order\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 08:57
S83	14	("5099485" "5159685" "5337320" "5448722" "5528748" "5544308" "5655074" "5737520" "5808919" "5922079" "6035420" "6205559" "6237114" "6430708").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/14 08:50
S84	30	(diagnos\$4 test\$4) near (reorder\$3 sequen\$4 order\$3) near2 caus\$3 near2 (fault fail\$3 error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 08:51
S85	832	(probable probability correlat\$3) with test\$3 near (sequen\$5 order\$3 position\$3 reorder\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 08:57

EAST Search History

S86	131	S85 with (error fault fail\$3 problem)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 08:58
S87	4	S86 same priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 08:58
S88	6	S85 same priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 08:58
S89	2	("4081613" "6411623").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/14 09:00
S90	3	("4819233" "5067129" "5187788").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/14 09:16
S91	24	("5414836").URPN.	USPAT	OR	ON	2006/11/14 09:18
S92	3	("5790780" "5815154" "6232982").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/14 09:32
S93	15	("4057847" "4823343" "4837764" "5021997" "5124622" "5157782" "5367667" "5371883" "5388252" "5390324" "5455933" "5513319" "5602990" "5629878" "5724273").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/14 09:44
S94	44	("6002868").URPN.	USPAT	OR	ON	2006/11/14 09:59
S95	466	717/124.ccls.	USPAT	OR	ON	2006/11/14 10:00
S96	333	717/168.ccls.	USPAT	OR	ON	2006/11/14 10:00
S97	1846	714/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 10:00
S98	121	S97 and (order\$3 sequen\$4) same (dependen\$3 correlat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 10:01

EAST Search History

S99	12	("4642782" "4654852" "4841456" "4885757" "5023817" "5036479" "5090014" "5107499" "5107500" "5293387" "5381417" "6338148").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/14 11:57
S10 0	4	("6557115").URPN.	USPAT	OR	ON	2006/11/14 12:10
S10 1	1968	genetic near algorithm	USPAT	OR	ON	2006/11/14 14:00
S10 2	15	("3784801" "4395767" "4517639" "4554661" "4835459" "5293323" "5465321" "5586130" "5655075" "5666481" "5671141" "5784547" "5937366" "5974114" "6000040").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/11/14 13:38
S10 3	7	("6195763").URPN.	USPAT	OR	ON	2006/11/14 13:40
S10 4	1968	genetic near algorithm	USPAT	OR	ON	2006/11/14 14:00
S10 5	111	S104 with (test\$3 diagnos\$4)	USPAT	OR	ON	2006/11/14 14:00
S10 6	20	S105 with (order\$3 sequen\$5)	USPAT	OR	ON	2006/11/14 14:00
S10 7	0	business adj add with test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:24
S10 8	132	(business adj add bai) same test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:24
S10 9	6	(business adj add) same test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:27
S11 0	26	(business adj add adj in business adj addin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:25

EAST Search History

S11 1	1	badi same test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:27
S11 2	5	badi same diagnos\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:43
S11 3	4392	(primary second\$3 child parent) near (test\$3 diagnos\$4) with (order\$3 priorit\$5 sequen\$5 position\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:44
S11 4	34	S104 and "714".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 14:44
S11 5	50	(fix\$3 remedy\$3 solution) adj caus\$3 adj (fail\$3 fault error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:03
S11 6	312	(fix\$3 remedy\$3 solution) adj3 caus\$3 adj3 (fail\$3 fault error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:10
S11 7	0	(fix\$3 remedy\$3 solution) adj (result\$3 caus\$3) adj (fail\$3 fault error) and "714".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:04
S11 8	4	(fix\$3 remedy\$3 solution) adj (result\$3 caus\$3) adj (fail\$3 fault error) and "714".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:04
S11 9	3	S115 and "714".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:04
S12 0	4	S118 S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:05

EAST Search History

S12 1	1	S115 with test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:05
S12 2	10	S116 with test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:05
S12 3	89	(updat\$3) adj3 caus\$3 adj3 (fail\$3 fault error)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:10
S12 4	6	S123 with (order\$3 priorit\$5 sequen\$5 position\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:18
S12 5	134	correlation adj probability	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:18
S12 6	6	S125 and "714".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:19
S12 7	39	test adj case near3 dependen\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:49
S12 8	0	priority adj base\$2 adj (test\$3 diagnos\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:50
S12 9	502	priority with (test\$3 diagnos\$4) and ibm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:50
S13 0	0	priority with test adj cell with dependen\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:51

EAST Search History

S13 1	31	priority with (test\$3 diagnos\$4) with dependen\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:59
S13 2	0	diagnosis adj tool with (plugin plug adj in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:37
S13 3	0	user with ("not" adj (allow\$3 chang\$3)) with updat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:38
S13 4	0	user with ("not") with updat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:38
S13 5	160	user with updat\$3 with order\$3 with (test\$3 procedure diagnos\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:40
S13 6	4	"fatal error" with warning with message with advisory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:40
S13 7	35	"fatal error" with warning with message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 16:41

EAST Search History

S13 8	38	(US-20050028042-\$ or US-20040249779-\$ or US-20050081082-\$ or US-20050091177-\$ or US-20040154001-\$ or US-20060129994-\$ or US-20020178402-\$ or US-20020040453-\$ or US-20030212924-\$).did. or (US-6487676-\$ or US-5950004-\$ or US-7073093-\$ or US-6691249-\$ or US-6907549-\$ or US-6029257-\$ or US-6002868-\$ or US-5369756-\$ or US-5067129-\$ or US-5754755-\$ or US-6233701-\$ or US-6078189-\$ or US-5440723-\$ or US-6167352-\$ or US-5587930-\$ or US-5414836-\$ or US-6907550-\$ or US-6888542-\$ or US-5629878-\$ or US-6557115-\$ or US-6370659-\$ or US-6219626-\$ or US-6195763-\$ or US-4970725-\$ or US-5708774-\$ or US-6757634-\$).did. or (US-6145098-\$ or US-7017145-\$). did. or (NNRD449113).tban.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/11/14 16:48
S13 9	3	S138 and fatal	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/11/14 17:04
S14 0	31467	(user with (updat\$3 chang\$3 order\$3)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/11/14 17:05
S14 1	12	(user with (updat\$3 chang\$3 order\$3) with test adj case).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/11/14 17:06
S14 2	858	(user with (updat\$3 chang\$3 order\$3) with (dependen\$2 correlat\$3 relationship)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/11/14 17:06
S14 3	22	(user with (updat\$3 chang\$3 order\$3) with (dependen\$2 correlat\$3 relationship) with (test\$3 diagnos\$4)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/11/14 17:07
S14 4	3	(user input\$4) with inhibit\$3 with (updat\$3 chang\$3 order\$3) with (dependen\$2 correlat\$3 relationship) with (test\$3 diagnos\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/11/14 17:10
S14 7	7	(user input\$4) with (prevent\$3 inhibit\$3) with (updat\$3 chang\$3 order\$3) with (dependen\$2 correlat\$3 relationship) with (test\$3 diagnos\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/11/14 17:10

EAST Search History

S14 8	177	(prevent\$3 inhibit\$3) with (updat\$3 chang\$3 order\$3) with (dependen\$2 correlat\$3 relationship) with (test\$3 diagnos\$4)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/11/14 17:11
S14 9	0	user adj3 (allow\$3 prevent\$3 determin\$3 specif\$5 inhibit\$3) adj3 updat\$3 with (test\$3 diagnos\$4) with (sequen\$4 order\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:41
S15 0	1	user adj3 (allow\$3 prevent\$3 determin\$3 specif\$5 inhibit\$3) with updat\$3 with (test\$3 diagnos\$4) with (sequen\$4 order\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:42
S15 1	11	user near4 (configur\$5 allow\$3 prevent\$3 determin\$3 specif\$5 inhibit\$3) with updat\$3 with (test\$3 diagnos\$4) with (sequen\$4 order\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:42
S15 2	213	user near4 (configur\$5 allow\$3 prevent\$3 determin\$3 specif\$5 inhibit\$3) with updat\$3 with (test\$3 diagnos\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 17:42